EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|--|---|---------------------|---------|---------------------|
| L1 | 1529 | 726/22.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:40 |
| L2 | 6 | L1 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:40 |
| L3 | 1019 | 713/170.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:40 |
| L4 | 5 | L3 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:40 |
| L5 | 2 | (LAGIMONIER near TODD) (VORIS near JIM) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:40 |
| L6 | 559 | replay adj attack same nonce | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L7 | 1 | L6 and @ad< "20010821" and @pd> "20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L8 | 554 | ((sequence adj number) nonce) with window adj size | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L9 | 61 | L8 same sliding adj window | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |

| L10 | 0 | L9 and @ad< "20010821" and @pd> "20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
|-----|------|--|---|----|----|---------------------|
| L11 | 3600 | (variable chang\$4 vary\$4 adjust\$4) with window adj size | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L12 | 206 | L11 same sliding adj window | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L13 | 0 | L12 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L14 | 88 | (variable chang\$4 vary\$4 adjust\$4) with window adj size with ((sequence adj number) nonce) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L15 | 0 | L14 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L16 | 136 | (variable chang\$4 vary\$4 adjust\$4) with window adj size same ((sequence adj number) nonce) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L17 | 0 | L16 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L18 | 20 | dynamic\$4 with window adj size same ((sequence adj number) nonce) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L19 | 0 | L18 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |

| L20 | 554 | window adj size with ((sequence adj number) nonce) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
|-----|-----|--|---|----|----|---------------------|
| L21 | 0 | L20 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L22 | 22 | window adj size with ((sequence adj number) nonce) near (largest highest biggest) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L23 | 0 | L22 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L24 | 106 | (variable chang\$4 vary\$4 adjust\$4) with window adj size same packet near (loss los\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L25 | 0 | L24 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L26 | 136 | (variable chang\$4 vary\$4 adjust\$4) with window adj size same session | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L27 | 0 | L26 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L28 | 38 | ((sequence adj number) nonce) with window adj size same session | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L29 | 0 | L28 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |

| L30 | 30 | packet adj number with window adj size | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
|-----|-----|---|---|----|----|---------------------|
| L31 | 0 | L30 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L32 | 64 | packet adj number same window adj size | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L33 | 0 | L32 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L34 | 100 | window with (multiple two "more than one") near session | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L35 | 0 | L34 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:41 |
| L36 | 157 | window adj size same packet with session | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |
| L37 | 0 | L36 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |
| _38 | 66 | (increas\$4 larger bigger) with window adj size same ((sequence adj number) nonce) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |
| _39 | 0 | L38 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |

| L40 | 120 | (add\$4 expand\$4 increment\$4 rais\$4 grow \$4) with window adj size same (((packet sequence) adj number) nonce) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |
|-----|-----|---|---|----|----|---------------------|
| L41 | 0 | L40 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |
| L42 | 186 | replay adj attack\$4 same nonce same session | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |
| L43 | 0 | L42 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |
| L44 | 21 | replay adj attack\$4 and nonce with range | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |
| L45 | 0 | L44 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |
| L46 | 730 | replay adj attack\$4 and nonce | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |
| L47 | 3 | L46 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |
| L48 | 209 | replay adj attack\$4 and out adj2 order | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |
| L49 | 0 | L48 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |

| L50 | 19 | sliding adj window and replay adj attack\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |
|-----|-----|---|---|----|----|---------------------|
| L51 | 0 | L50 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |
| L52 | 50 | nonce with range | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |
| L53 | 0 | L52 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |
| L54 | 159 | replay adj attack\$4 and acceptable with (range window) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |
| L55 | 0 | L54 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |
| L56 | 221 | replay adj attack\$4 and (adjust\$4 chang\$4) with (range window) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |
| L57 | 0 | L56 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |
| L58 | 470 | replay adj attack\$4 and (range window) with value | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |
| L59 | 0 | L58 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |

| L60 | 162 | replay adj attack\$4 and (range window) with (reject\$4 drop\$4 ignor\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |
|-----|------|---|---|----|----|---------------------|
| L61 | 0 | L60 and @ad<"20010821" and @pd>"20081230" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:42 |
| L62 | 1273 | window near2 size same ((sequence adj number) nonce) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:44 |
| L63 | 60 | 62 and replay\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:45 |
| L64 | 6 | L63 and @ad<"20010821" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:45 |
| L65 | 5991 | window near2 size with (adjust\$4 chang\$4 modify \$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:47 |
| L66 | 148 | 65 and replay\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:47 |
| L67 | 51 | L66 and @ad< "20010821" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/05/04 14:47 |

5/4/092:50:32 PM

C:\ Documents and Settings\ mpyzocha1\ My Documents\ EAST\ Workspaces\ 09932982-4.wsp